

AmpliMag™

MIX WELL
BEFORE USE

ACT 36, 1947 B3940

A high source of magnesium fertiliser to correct and prevent deficiencies in agriculture cropping. Magnesium is crucial for photosynthesis functioning, the regulation of plant cell pH and the cation – anion balance.

Magnesium (Mag) 200 g/kg

APPLICATION GUIDE: Apply through Boomspray, aerial or overhead irrigation. DO NOT apply when conditions are extremely hot. Best applied in temperatures in the range of 5 – 25°C.

MIXING INSTRUCTIONS

1. Do not apply as a concentrate with other chemicals.
2. Half fill tank to the required volume with water.
3. Add the required amount of **AmpliMag™**.
4. Add appropriate amount of non-ionic wetting agent as per manufacturer's instructions.
5. Fill the remainder of tank with water and maintain agitation.

STORAGE

DO NOT STORE product in direct sunlight.

DO NOT STORE product in temperature below 5°C or above 30°C.

DO NOT STORE DIRECTLY ON FLOOR, product to be raised from ground with pallettes.

COMPATIBILITY

Product is compatible with majority of agro chemicals, please check with the manufacturer. Please be aware that physical compatibility does not guarantee efficacy. Jar test before use.

CONDITIONS OF SALE

These goods are manufactured and tested to specific standards and sold in good faith, however, no guarantee is given due to the failure by the user to follow the labels instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration.

**KEEP OUT OF REACH
OF CHILDREN.**

SPECIFIC GRAVITY

1.4

NETT CONTENTS:

VOLUME	WEIGHT
500ml	0.7 kg
1L	1.4 kg
5L	7 kg
20L	28 kg
25 L	35 kg
200L	280 kg
1000L	1400 kg

BROADACRE	RATE L/Ha	WATER	COMMENTS
Cotton	2 - 4	1 : 50	Apply prior to flowering & again as boll fills
Wheat	2 - 4	1 : 50	Apply prior to flowering
Legumes	2 - 4	1 : 50	Apply 3-4 weeks after emergence
Canola	2 - 4	1 : 50	Apply prior to flowering
Maize/Sorghum	2 - 4	1 : 50	Apply prior to flowering

VITICULTURE	RATE L/Ha	WATER	COMMENTS
Wine & Table Grapes	4 - 6	1 : 200	3 Applications required 1. Prior to flowering 2. Fruit set 3. Bunch closure

HORTICULTURE	RATE L/Ha	WATER	COMMENTS
Beans	3 - 5	1 : 100	Apply at 4-6 true leaf stage
Brassica	3 - 5	1 : 100	Apply at 4-6 leaf stage
Cucurbits	3 - 5	1 : 100	Apply at seedling and prior to flowering
Carrots	3 - 5	1 : 100	Apply at seedling and vegetative stage
Lettuce	3 - 5	1 : 100	Apply at 4-6 leaf
Potatoes	3 - 5	1 : 100	Apply at seedling and prior to flowering
Strawberries	3 - 5	1 : 200	Apply at 4-6 leaf stage
Tomatoes	3 - 5	1 : 100	Apply at seedling and prior to flowering

TREE CROPS	RATE L/Ha	WATER	COMMENTS
Stone Fruit	4 - 5	1 : 200	Apply during flush
Pome Fruit	4 - 5	1 : 200	Apply during flush to flowering
Citrus	4 - 5	1 : 400	Apply prior to flowering
Avocado	4 - 5	1 : 200	Apply 2 - 3 applications prior to flowering
Olives	4 - 5	1 : 200	Apply prior to flowering



Sustainable Soil Solutions



Contact us for more information: **Head Office:** (018) 293 3530 • **Central Region:** (056) 212 9565
• **Cape Region:** (021) 555 2310 • **Natal Region:** (032) 486 1571 • **Eastern Cape:** (041) 486 2365
e-mail: info@profert.co.za www.profert.co.za