

# AmpliMancu™

MIX WELL  
BEFORE USE

ACT 36, 1947 B3942

High analysis manganese, copper and iron EDTA liquid chelate to provide stable efficient and available nutrients vital for maximising quality and yield in growing plants.

Copper	(Cu)	10	g/kg
Manganese	(Mn)	100	g/kg
Iron	(Fe)	10	g/kg

**APPLICATION GUIDE:** Apply through Boomspray, aerial or overhead irrigation. DO NOT apply when conditions are extremely hot. Best applied in temperatures in the range of 5 – 25°C.

#### MIXING INSTRUCTIONS

1. Do not apply as a concentrate with other chemicals.
2. Half fill tank to the required volume with water.
3. Add the required amount of **AmpliMancu™**.
4. Add appropriate amount of non-ionic wetting agent as per manufacturer's instructions.
5. Fill the remainder of tank with water and maintain agitation.

#### STORAGE

- DO NOT STORE product in direct sunlight.  
DO NOT STORE product in temperature below 5°C or above 30°C.  
DO NOT STORE DIRECTLY ON FLOOR, product to be raised from ground with palettes.

#### COMPATIBILITY

Product is compatible with majority of agro chemicals, please check with the manufacturer. Please be aware that physical compatibility does not guarantee efficacy. Jar test before use.

#### CONDITIONS OF SALE

These goods are manufactured and tested to specific standards and sold in good faith, however, no guarantee is given due to the failure by the user to follow the labels instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration.

**KEEP OUT OF REACH  
OF CHILDREN.**

#### SPECIFIC GRAVITY

1.3

#### NETT CONTENTS:

VOLUME	WEIGHT
500 ml	0.65 kg
1 L	1.3 kg
5 L	6.5 kg
20 L	26 kg
25 L	32.5 kg
200 L	260 kg
1000 L	1300 kg

BROADACRE	RATE L/Ha	WATER	COMMENTS
Cotton	1 - 2	1 : 100	Apply prior to flowering & again as boll fills
Wheat	1 - 2	1 : 100	Apply prior to flowering
Legumes	1 - 2	1 : 100	Apply 3-4 weeks after emergence
Canola	1 - 2	1 : 100	Apply prior to flowering
Maize/Sorghum	1 - 2	1 : 100	Apply prior to flowering

VITICULTURE	RATE L/Ha	WATER	COMMENTS
Wine & Table Grapes	0.5 - 1	1 : 500	Prior to flowering

HORTICULTURE	RATE L/Ha	WATER	COMMENTS
Beans	1 - 2	1 : 200	Apply at 4-6 true leaf stage.
Brassica	1 - 3	1 : 100	Apply prior to flowering & at stem extension
Cucurbits	1 - 3	1 : 100	Apply at 4-6 true leaf and prior to flowering
Carrots	1 - 2	1 : 200	Apply at seedling and vegetative stage
Lettuce	0.5 - 1	1 : 300	Apply at 4-6 leaf
Potatoes	1 - 2	1 : 200	Apply at seedling and prior to flowering
Strawberries	1 - 2	1 : 200	Apply prior to flowering
Tomatoes	1 - 2	1 : 200	Apply at seedling and prior to flowering

TREE CROPS	RATE L/Ha	WATER	COMMENTS
Stone Fruit	1 - 1.5	1 : 1500	Apply at pink bud & again at after petal fall
Pome Fruit	1 - 1.5	1 : 2000	Apply at spur leaves unfolded & after petal fall
Citrus	1 - 2	1 : 2000	Spring and Autumn flush
Avocado	2 - 3	1 : 1000	Spring and Summer flush
Nut trees	1 - 2	1 : 1000	Apply at Spring and Autumn flush
Olives	1 - 2	1 : 1000	Apply prior to flowering



Sustainable Soil Solutions



Contact us for more information: **Head Office:** (018) 293 3530 • **Central Region:** (056) 212 9565  
• **Cape Region:** (021) 555 2310 • **Natal Region:** (032) 486 1571 • **Eastern Cape:** (041) 486 2365  
e-mail: info@profert.co.za www.profert.co.za

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Imported from Australia

ONTRACK